

# Warning Signs That Care is Needed

Sometimes people won't admit they need help to stay at home, and others may be unaware that it is time for some extra help to maintain a healthy and safe home environment. Knowing and watching for signs that could indicate extra assistance is needed may fall on family, friends or advisors. Take note of the following:

## Eating Habits

- Yes  No Has the elderly person changed eating habits?
- Yes  No Has the elderly person lost weight?
- Yes  No Is there food in the home?
- Yes  No Does the person have the ability to go to the grocery store or are groceries delivered?



**Did You Know?**

**Losing weight without trying could be a sign that something's wrong. For the elderly, weight loss could be related to many factors, including:**

- **Difficulty cooking.** The person could be having difficulty finding the energy to cook, grasping the tools necessary to cook, reading labels or directions on food products, or getting groceries into the home.
- **Loss of taste or smell.** Some loss of taste and smell is natural with aging, especially after age 60. In other cases, illness or medication contributes to loss of taste or smell. The person might not be interested in eating if food doesn't taste or smell as good as it used to.
- **Underlying conditions.** Sometimes weight loss is a sign of a more serious underlying condition, such as malnutrition, dementia, depression, or cancer.

## Hygiene

- Yes  No Is the elderly person taking care of his/her personal hygiene and dress?
- Yes  No Are his/her clothes clean?
- Yes  No Does he/she appear to be taking care of himself/herself?



**Did You Know?**

**Failure to keep up with daily routines—such as bathing, tooth brushing, and other basic grooming—could indicate health problems such as dementia, depression, or physical impairments.**



**Family First**  
**Senior Care**

521 N. Argonne Road, Bldg B, Ste. 103, Spokane Valley, WA 99212

509-326-5525 • [info@FamilyFirstSeniorCare.com](mailto:info@FamilyFirstSeniorCare.com) • [www.FamilyFirstSeniorCare.com](http://www.FamilyFirstSeniorCare.com)

---

## Care of Home

- Yes  No Is the home being maintained in good order?  
 Yes  No Are the lights working?  
 Yes  No Is the heat on?  
 Yes  No Is the air conditioning in working order?  
 Yes  No Are the bathrooms clean?  
 Yes  No Is the yard overgrown?  
 Yes  No Is there clutter blocking walkways through the house?



**Any big changes in the way things are done around the house could provide clues to health. For example, scorched pots could mean forgetting about food cooking on the stove. Neglected housework could be a sign of depression, dementia, or other problems.**

---

## Safety / Mental Attitude

- Yes  No Is the senior safe in his/her home?  
 Yes  No Does the person have difficulty navigating a narrow stairway?  
 Yes  No Has he/she fallen recently?  
 Yes  No Is he/she able to read directions on medication containers?  
 Yes  No Is there adequate lighting for nighttime trips to the bathroom?  
 Yes  No Has he/she had physical problems such as burns or injury marks resulting from general weakness, forgetfulness, or possible misuse of prescribed medications?
- Yes  No Is the older person in good spirits?  
 Yes  No Is he/she unusually fatigued?  
 Yes  No Is he/she connecting with friends?  
 Yes  No Has he/she maintained interest in hobbies and other daily activities?  
 Yes  No Is he/she involved in social organizations or clubs?  
 Yes  No If he/she is religious, does he/she attend regular worship services?  
 Yes  No Has he/she changed relationship patterns such that friends and neighbors have expressed concerns?



**A drastically different mood or outlook could be a sign of depression or other health concern.**

## Mobility

- Yes  No Is the elderly person having difficulty getting around?
- Yes  No Is he/she reluctant or unable to walk usual distances?
- Yes  No Is knee or hip arthritis making it difficult to get around the house?
- Yes  No Is he/she shuffling, or would he/she benefit from a cane or walker?



**Muscle weakness, joint problems and other age-related changes can make it difficult to move around. If he is unsteady on his feet, he may be at risk of falling—a major cause of disability among older adults.**

## Behavior

- Yes  No Has the person exhibited forgetfulness or inappropriate behavior?
- Yes  No Is he/she unusually loud or quiet, paranoid, agitated, making phone calls at all hours?
- Yes  No Has his/her forgetfulness resulted in unopened mail, piling newspapers, unfilled prescriptions, or missed appointments?
- Yes  No Has he/she mishandled finances such as not paying bills, losing money, paying bills twice or more, or hiding money?
- Yes  No Has he/she made unusual purchases such as buying more than one magazine subscription of the same magazine, entering an unusual amount of contests, purchasing an increased amount of items from television advertisements?
- Yes  No Are multiple medications from multiple doctors being taken?



**Sometimes multiple doctors may be treating a person for multiple health conditions. Usually doctors are not in communication about other doctors' prescriptions. Decline in functioning may be due to medication reactions/interactions. Have multiple prescriptions evaluated by a medical doctor skilled in polypharmacy (the knowledge of how various medications interact).**

If any of these signs are noted and raise concerns, bring them to the attention of the person's physician and consider additional care in the home. **Family First Senior Care** provides traditional and non-traditional in-home care offerings such as meal preparation, personal care, transportation and Alzheimer's care, whether the needs are daily, weekly, temporary or long-term.

Sources: Mayo Clinic, Eldercare.gov